

Neion Plus wall faced intelligent toilet

NEO41025

Package comprised of: Neion Plus wall faced intelligent pan and Arcisan slim line concealed cistern.



Neion Plus wall faced intelligent pan

NEO41200



Arcisan slim line in-wall cistern | mechanical

AR04430

Neion Plus wall faced intelligent toilet - remote control and heated seat

NEO41200

Power: 1250W

Rated voltage: AC220-240V, 50-60Hz

Water proof rating: IPX4

WELS: 4 stars

Flush Litre/min: 3/4.5L

WELS License / Reg No: 1483 / L07620

Set-out: S-trap 90mm
P-trap 180mm

Inlet height: 340mm

Outlet height: 180mm

Finish: White




INFORMATION

- Rear wash & female wash
- Night light
- Heated seat
- Adjustable nozzle position
- Adjustable water temperature and flow
- Nozzle disassembly and Antibacterial
- Instant warm water
- Drying function
- Pre-wetting of pan
- Self-cleaning nozzle
- Deodorization
- Remote control



IMPORTANT

Refer to the installation guide for all correct installation criteria.



Requires AR04430 - Arcisan in-wall slim concealed cistern

streamline

www.streamlineproducts.com.au | Ph: 1300 735 352

Dimensions are in millimeters and are subject to manufacturing variations. Streamline Products reserves the right to vary specifications at any time without notice. Information provided within this specification sheet is correct at the date of printing. Please confirm all particulars with your sales consultant prior to purchase. Version: 1.4 - March 2026

www.voguespas.com.au

VOGUE SPAS
& BATHROOMS

Arcisan slim line in-wall cistern | mechanical

ARO4430

WELS: 4 stars

Litres/min: 3/4.5L

Pressure rating: 150 - 500kPa

Inlet Position: Top left


Material: High density polyethylene

INFORMATION

The slim concealed, dual flush cistern is made from high density polyethylene, incorporating inbuilt overflow. Due to its slim design, the cistern can be installed in a standard 90mm metal or timber stud wall application.

Hot and cold water inlet pressures should be equal.

What does mechanical mean? This is standard fixing on front of cistern. The push plate mechanically pulls the levers up to open the outlet mechanism and flush the toilet.



WARRANTY
10 years

*Conditions apply.

streamline

Dimensions are in millimeters and are subject to manufacturing variations. Streamline Products reserves the right to vary specifications at any time without notice. Information provided within this specification sheet is correct at the date of printing. Please confirm all particulars with your sales consultant prior to purchase. Version: 1.1 - Sept 2024