

TOTO TOILETS

Hayon WALL FACED TOILET S2 Side Control Washlet



CW254PJT1WS
TCF33320GAU#NW1

Specifications

TOILET

Flush system: TORNADO FLUSH

Water Use: 4.5L / 3L

Rough-in: S-Trap / P-Trap (Selectable)

Bowl Shape: D-Shape

Water Pressure: 0.05MPa~0.75MPa

Size: 380Wx595Dx400H mm

Washlet

Bowl Shape: D-Shape

Water Pressure: 0.07Mpa~0.75Mpa

Power Rating: 220~240V , 50/60Hz,
843~853W

Length of PowerCord: 1.2 m

Material: Plastic

Size: 462W x 540D x 130H mm

Parts description

Seat & Cover is **not included**.



CW254PJT1WS


D-Shape Wall Faced Closet Bowl
w/ Fixing Bracket

TCF33320GAU WASHLET D-shape

THX918 Socket (Only for S-Trap)

SHXCP553 Universal Plate





Specification

Name	Concealed Cistern without Frame	SKU code	Q731-0101-A1
Size(mm)	831*80*480	Flush volume	3 / 4.5L
Color	White	Water intake mode	Top Inlet
Material	PC	Water inlet connection	G1/2"
Applicable water pressure(MPa)	0.07~0.75	Gross weight(kg)	6
Volume (m ³)	0.084	Net weight(kg)	4
Operation mode	Front Press	Certification obtained	WELS, WATERMARK, WRAS, SASO, SIRIM


Optional TOTO In-Wall Flush Panel:

**MB170P#WH / MB170P#SS / MB174P#WH /
 MB174P#SS / MB176G#WH / MB171M#SS /
 MB175M#SS**




FEATURES

- Twin-button design, flexible and convenient, water saving.
- Brushed stainless steel exterior, beautiful and elegant.

SPECIFICS

Size : 243x159x31.3mm

MB175M#SS Concealed Flush Tank Panel



Others

Recommend fittings :
VRT concealed flush tank

*TOTO(CHINA) CO.,LTD. All rights reserved.